

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.18.2015

Page 1 of 7

Buffer Soln,pH 7.0,Colorless

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Buffer Soln,pH 7.0,Colorless

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25208F

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific
9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education
15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Irritant

Eye irritation, category 2A
Skin irritation, category 2

Eye. Irrit 2A
Skin. Irrit 2

Signal word :Warning

Hazard statements:

Causes skin irritation

Causes serious eye irritation

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Wash skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN: Wash with soap and water

Specific treatment (see supplemental first aid instructions on this label)

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing

If eye irritation persists get medical advice/attention

Other Non-GHS Classification:

WHMIS

Safety Data Sheet


according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.18.2015

Page 2 of 7

Buffer Soln,pH 7.0,Colorless

NFPA/HMIS



NFPA SCALE (0-4)

Health	1
Flammability	0
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:		
CAS 7732-18-5	Deionized Water	>99.2 %
CAS 7778-77-0	Potassium Phosphate	<0.68 %
CAS 1310-73-2	Sodium Hydroxide	<0.12 %
CAS 110-44-1	Sorbic acid	<0.01 %

Percentages are by weight

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

After skin contact: Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

After eye contact: Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Immediately seek medical attention.

After swallowing: Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately seek medical attention.

Most important symptoms and effects, both acute and delayed:

Irritation. Shortness of breath. Headache. Nausea. Dizziness. Vomiting. Diarrhea. Rash. Cramps.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.18.2015

Page 3 of 7

Buffer Soln,pH 7.0,Colorless

Advice for firefighters:

Protective equipment: Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment.Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyewear, gloves, and clothing. Refer to Section 8.Always obey local regulations.If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13.Keep in suitable closed containers for disposal.Absorb with inert material.

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing.Follow good hygiene procedures when handling chemical materials. Refer to Section 8.Follow proper disposal methods. Refer to Section 13.Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Store in a cool location.Keep away from food and beverages.Protect from freezing and physical damage.Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8 : Exposure controls/personal protection



Control Parameters:

No applicable occupational exposure limits

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls.When necessary use NIOSH approved breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance.Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves.Wear protective clothing.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.18.2015

Page 4 of 7

Buffer Soln,pH 7.0,Colorless

Eye protection:	Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).Safety glasses or goggles are appropriate eye protection.
General hygienic measures:	Perform routine housekeeping.Wash hands before breaks and immediately after handling the product.Avoid contact with skin, eyes, and clothing.Before rewearing wash contaminated clothing.

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	Clear, colorless liquid.	Explosion limit lower: Explosion limit upper:	Not Determined Not Determined
Odor:	Odorless	Vapor pressure:	Not Determined
Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	7.0	Relative density:	Not Determined
Melting/Freezing point:	Approximately 0 °C	Solubilities:	Soluble in water
Boiling point/Boiling range:	Approximately 100 °C	Partition coefficient (n-octanol/water):	Not Determined
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	Not Determined	Decomposition temperature:	Not Determined
Flammability (solid,gaseous):	Not Determined	Viscosity:	a. Kinematic:Not Determined b. Dynamic: Not Determined
Density: Not Determined			

SECTION 10 : Stability and reactivity

Reactivity:Nonreactive under normal conditions.

Chemical stability:Stable under normal conditions.

Possible hazardous reactions:None under normal processing.

Conditions to avoid:Incompatible materials.

Incompatible materials:Metals, acids, aluminum, nitro compounds, zinc, tin, halogenated hydrocarbons, nitromethane, and flammable liquids

Hazardous decomposition products:Phosphorus oxides

SECTION 11 : Toxicological information

Acute Toxicity:		
Oral:	7778-77-0	LD50 Oral - rat - > 2,000 mg/kg
Dermal:	7778-77-0	LD50 Dermal - rabbit - > 4,640 mg/kg
Dermal:	110-44-1	LD50 Dermal - Rabbit - > 1,000 mg/kg
Chronic Toxicity: No additional information.		
Corrosion Irritation:		

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.18.2015

Page 5 of 7

Buffer Soln,pH 7.0,Colorless

Dermal:	7558-79-4	Skin - rabbit Result: Mild skin irritation - 24 h
Ocular:	7558-79-4	Eyes - rabbit Result: Mild eye irritation - 24 h
Dermal:	1310-73-2	Skin - Rabbit Result: Causes severe burns. - 24 h
Ocular:	1310-73-2	Eyes - Rabbit Result: Corrosive - 24 h
Dermal:	110-44-1	Skin - Rabbit Result: Severe skin irritation
Ocular:	110-44-1	Eyes - Rabbit Result: Moderate eye irritation
Sensitization:		No additional information.
Single Target Organ (STOT):		No additional information.
Numerical Measures:		No additional information.
Carcinogenicity:		110-44-1: Carcinogenicity - Rat - Subcutaneous
Mutagenicity:		110-44-1: Hamster Lungs Sister chromatid exchange
Reproductive Toxicity:		No additional information.

SECTION 12 : Ecological information

Ecotoxicity

1310-73-2: LC50 - Oncorhynchus mykiss (rainbow trout) - 45.4 mg/l - 96 h

1310-73-2: LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h

1310-73-2: Immobilization EC50 - Daphnia (water flea) - 40.38 mg/l - 48 h

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Dilute with water.

SECTION 14 : Transport information

UN-Number

Not Regulated

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.18.2015

Page 6 of 7

Buffer Soln,pH 7.0,Colorless

UN proper shipping name

Not Regulated

Transport hazard class(es)

Packing group:Not Regulated

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients is listed

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

1310-73-2 Sodium hydroxide 1000 lbs

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

1310-73-2 Sodium hydroxide

110-44-1 Sorbic acid

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: . The responsibility to

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.18.2015

Page 7 of 7

Buffer Soln,pH 7.0,Colorless

provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

Effective date : 02.18.2015

Last updated : 03.19.2015