

Safety Data Sheet- AimStrip® Hb Hemoglobin Testing System

23-78150-1, REV A

APP'D 5/30/14

1. PRODUCT AND COMPANY INFORMATION

Product Name: AimStrip® Hb Hemoglobin Testing System

Description: The AimStrip® Hb Hemoglobin Testing System is for the quantity determination of hemoglobin and calculated hematocrit in capillary and venous whole blood, for in vitro diagnostic use only.

Emergency Information: Germaine Laboratories, Inc., San Antonio, Texas USA,
1-800-854-8446, www.germainelabs.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

The AimStrip® Hb Hemoglobin Testing System consists of the following components:

AimStrip® Hb Hemoglobin Starter Pack 100, Cat#78100

No.	Component	Quantity
1	Meter	1
2	Canister of Test Cartridges	1
3	Code Chip	1
4	Optical Verifier	1
5	AAA Batteries	3
6	Carrying Case	1
7	User's Manual	1
8	Test Cartridge Insert	1
9	Optical Verifier Insert	1
10	Warranty Card	1

AimStrip® Hb Hemoglobin Starter Pack 200, Cat#78200

No.	Component	Quantity
1	Meter	1
2	Canister of Test Cartridges	1
3	Code Chip	1
4	Optical Verifier	2
5	AAA Batteries	3
6	Carrying Case	1
7	User's Manual	1
8	Test Cartridge Insert	1
9	Optical Verifier	1
10	Warranty Card	1

AimStrip® Hb Hemoglobin Meter Kit Only, Cat#78101

No.	Component	Quantity
1	Meter	1
2	Optical Verifier	2
3	AAA Batteries	3
4	Carrying Case	1
5	User's Manual	1
6	Warranty Card	1
7	Optical Verifier Insert	1

All above components, contained in the product, have been found to have no harm for the health of the user and the environment.

Safety Data Sheet- AimStrip® Hb Hemoglobin Testing System

23-78150-1, REV A

APP'D 5/30/14

3. HAZARDS IDENTIFICATION

The units or its accessories may be harmful to health if the user swallows them, and may pollute the environment if not be disposed as the medical waste or following all local regulations. Electrical shock may occur if the user uses a non-certified AC adapter to connect the meter with the main power.

4. FIRST AID MEASURES

Inhalation: Not applicable

Skin: Wash with water

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes. Assure adequate flushing by separating eyelids with fingers. Get medical attention immediately.

Ingestion: Get medical attention immediately

5. FIRE-FIGHTING MEASURES

Not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Not applicable

Environmental Precautions: Dispose of in a manner consistent with federal, state and local regulation.

Methods and Materials for Clean-Up: Dispose of in a manner consistent with federal, state and local regulation.

7. HANDLING AND STORAGE

Handling: Follow good laboratory hygiene practices. Avoid physical contact. Wash hands thoroughly.

Storage: Refer to product label and/or literature for specific storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits: Not applicable

Engineering Controls: Not applicable

Personal Protective Equipment (PPE): Not applicable

Respiratory: Not applicable

Eye/Face: Not applicable

Hand: Wear gloves

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: The unit and its accessories are stored in a carrying case. The AimStrip® Hb Hemoglobin Meter consists of LCD, keypad and detecting area with red and white color housing.

Color: The AimStrip® Hb Hemoglobin Meter is red and white in color

Odor: No special odor

Viscosity: Not applicable

Flash Point: Not applicable

Auto igniting: Not applicable

Boiling Point: Not applicable

Melting Point: Not applicable

Density: Not applicable

pH Value: Not applicable

Solubility in water: Not dissolve

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Decomposition Products: Not applicable

Safety Data Sheet- AimStrip® Hb Hemoglobin Testing System

23-78150-1, REV A

APP'D 5/30/14

11. TOXICOLOGICAL INFORMATION

None

12. ECOLOGICAL INFORMATION

Not applicable

13. DISPOSAL CONSIDERATIONS

Methods of Disposal: Dispose of in a manner consistent with federal, state and local regulation.

14. TRANSPORT INFORMATION

This substance is ordinary goods and no other dangerous properties

15. REGULATORY INFORMATION

Not classified as hazardous according to EEC criteria

16. OTHER INFORMATION

The information above is provided in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability, fitness for a particular purpose or of any other type, expressed or implied, with respect to products described or data or information provided, and we assume no liability resulting from the use of such products, data or information. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall Germaine Laboratories, Inc. be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Germaine Laboratories, Inc. has been advised of the possibility of such damages.