



## \*SAFETY DATA SHEET\*

### SECTION 1: PRODUCT AND COMPANY INFORMATION

**PRODUCT NAME:** Adhesive Remover Wipe

**MFR #:** 176-5729

**RECOMMENDED USE:** Remove oil, dirt, and adhesive residue from skin

**DISTRIBUTED BY:** McKesson Medical-Surgical Inc.  
9954 Mayland Drive, Suite 4000  
Richmond, VA 23233

**INFORMATION LINE:** 1-800-777-4908      Monday – Friday 8:00 a.m. – 6:00 p.m. EST

**EMERGENCY PHONE:** 1-800-451-8346 (3E Company)      Day or Night

### SECTION 2: HAZARDOUS IDENTIFICATION

#### EMERGENCY OVERVIEW

May cause eye irritation. May be harmful if inhaled or swallowed. Do not swallow.

#### POTENTIAL HEALTH EFFECTS

Eye Contact:      May cause irritation

Skin Contact:      Repeated or prolonged contact may cause skin dryness or cracking

Inhalation:      High vapor concentration may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and, and other central nervous system effects.

Ingestion:      May be aspirated and cause lung damage

### SECTION 3: COMPOSITION

Chemical Name	CAS Number	Percentage
Isoparaffin	64742-48-9	<50%
Petroleum Naphtha	64742-89-8	<15%
Isopropyl Alcohol	67-63-0	<5%
Isopropyl Palmitate	142-91-6	<5%
Isopropyl myristate	110-27-0	<5%
Isopropyl stearate	112-10-7	<5%
Nonwoven	None	<50%

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: FIRST AID MEASURES

### Description of first-aid measures

- Inhalation: Remove from further exposure. Use adequate respiratory protection. If respiratory irradiation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, assist ventilation with a medical device or use mouth to mouth resuscitation.
- Skin contact: Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse

### Most important symptoms and effects, both acute and delayed

- Eye contact: Immediately flush eyes with plenty of water. If irritation occurs, get medical attention.
- If swallowed: Seek immediate medical attention. Do not induce vomiting.
- Symptoms/Injuries: Not expected to present a significant hazard under anticipated conditions of normal use.

### Indication of any immediate medical attention and special treatment needed

No additional information available.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

Suitable extinguishing media: Foam, Carbon dioxide, Sand

### Special hazards arising from the substance or mixture

Hazardous Combustion Products: Carbon oxides, Silicone oxides, Formaldehyde

### Advice for firefighters

- Firefighting instructions: Hazardous material. Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires. Vapors are flammable and heavier than air, may travel across the ground and reach remote ignition sources causing a flashback fire danger.
- Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment, and emergency procedures

#### For non-emergency personnel

Emergency procedures: Avoid contact with spilled material. See section 4 for first aid advice.

#### For emergency responders

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area

#### Notification Procedures

U.S. regulations require reporting releases of this material to the environment which exceed the applicable reportable quantity which could reach any waterway.

#### Methods and material for containment and cleaning up

Methods for cleaning up: Prevent entry into sewer, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Use clean non-sparking tools to collect absorbed material. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers.

#### Reference to other sections

See heading 8. Exposure controls and personal protection.

## SECTION 7: HANDLING & STORAGE

### Precautions for safe handling

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking, and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

### Conditions for safe storage, including any incompatibilities

Storage conditions: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Incompatible products: Strong bases and strong acids.

Incompatible materials: Sources of ignition. Direct sunlight.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Engineering Controls: Adequate ventilation so that exposure limits are not exceeded.

### Exposure Controls

Personal protective equipment: Avoid all unnecessary exposure.

Hand protection: Wash hands thoroughly after handling. If working with large quantities of this product, use chemical and oil resistant gloves and clothing, and appropriate eye protection.

Eye protection: None required during normal administration or use of this product. When handling large quantities, use approved eye protection to safeguard against potential eye contact.

Respiratory protection: Not applicable, aerosol formation is extremely unlikely for normal use. When handling large quantities, an approved respirator may be used if engineering controls do not maintain airborne contaminant concentration at a level to adequately protect a worker's health.

Other Information: When using, do not eat, drink, or smoke.

## SECTION 9: PHYSICAL/CHEMICAL CHARACTERISTICS

### Information on basic physical and chemical properties

Physical state:	Wet wipe
Color:	White
Odor:	Characteristic
Odor threshold available:	No data available (pH 6-7)
Relative evaporation rate (butly acetate =1):	No data available
Melting point:	No data available
Freezing point:	No data available
Boiling point:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Flammability (solid, gas):	No data available
Vapor pressure:	No data available
Relative vapor density at 20 C:	No data available
Relative density:	No data available
Solubility:	Water
Log Pow:	No data available
Log Kow:	No data available
Viscosity, kinematic:	No data available
Viscosity, dynamic:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Explosive limits:	No data available

### Other information

No additional information available

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

No additional information available

### Chemical stability

Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure

### Possibility of hazardous reactions

Not established

### Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Avoid heat, sparks, open flames, and other ignition sources

### Incompatible materials:

Avoid contact with strong oxidizing agents

### Hazardous decomposition products

Material does not decompose at ambient temperatures

## SECTION 11: TOXICOLOGICAL INFORMATION

Prolonged or repeated skin contact with this product tends to remove skin oils, possibly leading to irritation and dermatitis; however, based on human experience and available toxicological data, these products judged to be neither a “corrosive” nor an “irritant” by OSHA criteria.

## SECTION 12: ECOLOGICAL INFORMATION

Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems, and natural waterways. Not expected to be harmful to aquatic organisms or demonstrate chronic toxicity to aquatic organisms.

### Toxicity

No additional information available

### Persistence and degradability

Not established

### Bio-accumulative potential

Not established

### Mobility in Soil

No additional information available

### Other adverse effects

Effect on ozone layer:	No additional information available
Effect on global warming:	No known ecological damage caused by this product
Other information:	Avoid release to the environment

## SECTION 13: DISPOSAL CONSIDERATIONS

For small quantities, product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperature to prevent formation of undesirable combustion product. Disposal of the used product may also be regulated due to ignitability, corrosivity, reactivity or toxicity as determined by the Toxicity Characteristic Leaching Procedure (TCLP). For large quantities, any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environmental agency for specific rules). Do not dispose of via sinks, drains, or into immediate environment.

### Waste treatment methods

Waste disposal recommendations:	Dispose in a safe manner in accordance with local/national regulations
Ecology – waste materials:	Avoid release to the environment

## SECTION 14: TRANSPORT INFORMATION

### Additional information

Land (DOT):	Flammable liquid or combustible liquid. This material is not regulated under 49 CFR in a container of 119 gallons or less.
Land (TDG):	Flammable liquid or combustible liquid. This material is not regulated under 49 CFR in a container of 119 gallons or less.
Transport by sea (IMDG):	This product is considered a flammable liquid. Bulk or non-bulk packaging. UN1268, Petroleum Distillates, N.O.S., 3, PG III finished product. Shipped under consumer commodity
Air transport:	This product is considered a flammable liquid. Bulk or non-bulk packaging. UN1268, Petroleum Distillates, N.O.S., 3, PG III finished product. Shipped under consumer commodity.

## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations

TSCA:	Exempt
CERCLA:	This product contains no components subject to reporting or notification requirements
SARA (311/312) Reportable Hazards Category:	Fire
SARA (313) Toxic Release Inventory:	This product contains no chemicals subject to the supplier notification requirements.

### International Regulations – CANADA

No additional information available

### EU – Regulations

No additional information available

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

### National Regulations

No additional information available

### US State Regulations

No additional information available



## SECTION 16: OTHER INFORMATION

**Other information:** None

**DISCLAIMER:** This information relates onto to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. The information and recommendations contained herein are to the best of the manufacturer's knowledge and belief accurate and reliable as of the date indicated. No representation warranty or guarantee, however, is made with regards to accuracy, reliability or completeness. Conditions of use of the material are under the control of the user; therefore, it is the user's responsibility to satisfy itself as to the suitability and completeness of such information for its own particular use. Appropriate warnings and safe-handling procedures should be provided to handlers and users.

## Brava® Adhesive Remover Wipe

25. February 2015  
Version 2.0

### Safety Data Sheet

Based on template version 3.0

#### Section 1

##### Identification of the substance/mixture and of the company/undertaking

###### 1.1 Product identifier

Product name: Brava® Adhesive Remover Wipe  
3.2 ml Sachet wipe  
Product code: 12011

###### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product information: Medical device, Class I.  
Wipes to be used for removal of adhesive medical devices from skin.

###### 1.3 Details of the supplier of the safety data sheet:

Manufacturer: Coloplast A/S  
Holtedam 1  
DK-3050 Humlebaek  
Denmark  
Telephone +45 49111111  
[msds@coloplast.com](mailto:msds@coloplast.com)

###### 1.4 Emergency telephone number:

(DK) +45 82 12 12 12  
(US) 1-800-222-1222  
(CA) 1-877-820-7008

#### Section 2

##### Hazards identification

This product is regulated as a medical device in European Economic Area (EEA). In other regions it may be regulated as a medical device, a cosmetic or not regulated. The product is assessed and supplied with a safety data sheet in accordance with Regulation (EC) no 1272/2008. Labelling of the

#### USA

Coloplast Corp.  
1601 West River Road N  
Minneapolis, MN 55411  
Telephone: +1-800-533-0464  
[www.us.coloplast.com](http://www.us.coloplast.com)

#### Canada

Coloplast Canada Corporation  
3300 Ridgeway Drive, Unit 12  
Mississauga, Ont. L5L 5Z9  
Telephone: +1-877-820-7008  
[www.coloplast.ca](http://www.coloplast.ca)

#### Europe

Coloplast A/S  
Holtedam 1  
DK-3050 Humlebaek  
Telephone: +45 49 11 11 11  
[www.coloplast.com](http://www.coloplast.com)

## Brava® Adhesive Remover Wipe

product is prepared in accordance with Directive 93/42/EEC on medical devices and local legislation.

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC)

No 1272/2008:

Flam. Liq. 2;H225 Aquatic Acute 1;H400

Wording of H-statements – see section 16.

### 2.2. Label elements

The product is a medical device in EAA and therefore the labelling elements from the CLP regulations do not apply, according to Regulation (EC) No 1272/2008, Title I, Article 1, Section 5.

The below illustrated pictograms, signal words and hazard statements are therefore only listed in the present MSDS and not necessarily present on the product labelling.

Pictogram(s):

Signal word:



Danger

Hazard statement(s):

H225: Highly flammable liquid and vapour.

H400: Very toxic to aquatic life.

Precautionary statement(s):

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233: Hold beholderen tæt lukket.

P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

### 2.3. Other hazards:

None.

PBT/vPvB: No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

# Brava® Adhesive Remover Wipe

## Section 3

### Composition/information on ingredients

#### 3.2 Mixtures:

w/w %	CAS No	EC No	Index No	REACH reg. No	Chemical Name	Classification (EC 1272/2008)
90-95	107-46-0	203-492-7	-	01-2119496108-31	Hexamethyl-disiloxane	Flam. Liq. 2;H225 Aquatic Acute 1;H400 (M=1)
1-10	107-51-7	203-497-7	-	-	Octamethyl-trisiloxane	Flam. Liq. 3;H226

Wording of H-statements - see section 16.

## Section 4

### First-AID measures

#### 4.1 Description of first aid measures

Inhalation: Move the affected person to fresh air. Keep at rest. If needed: Get medical attention.

Skin Contact: This product is intended to be in contact with the skin when used as directed in the instructions for use. In case of skin problems: Seek medical advice.

Eye Contact: Immediately flush with water or physiological salt water, holding eye lids open. Remember to remove contact lenses, if any. If irritation persists: Seek medical advice.

Ingestion: Rinse mouth and drink plenty of water. **Do not induce vomiting.** If vomiting occurs keep head down to avoid vomit in the lungs. In case of discomfort: Seek medical advice.

Burns: Flush with water until pain ceases. Remove clothes that are not burnt to the skin. If needed seek medical attention, continue to flush on the way.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause irritation to skin, eyes and respiratory tract.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Show this Safety Data Sheet to a physician or emergency ward.

## Section 5

### Fire fighting measures

#### 5.1 Suitable extinguishing media

Use water spray, carbon dioxide, dry chemical or foam.

#### 5.2 Special hazards arising from the substance or mixture

Do not inhale smoke fumes. In case of fire, the product may form hazardous decomposition products: Primarily oxides of carbon and nitrogen.

Take precautionary measures against static discharge.

## Brava® Adhesive Remover Wipe

### 5.3 Advice for firefighters

Remove containers if possible or keep containers cool by spraying with water. Use breathing apparatus with an independent source of air.

---

## Section 6

### Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment - see section 8. Remove sources of ignition.

#### 6.2 Environmental precautions

Do not empty into drains - see section 12. Inform appropriate authorities in accordance with local regulations.

#### 6.3 Methods and materials for containment and cleaning up

Place in a suitable container for disposal. Further handling of spillage - see section 13.

#### 6.4. Reference to other sections

See references above.

---

## Section 7

### Handling and storage

#### 7.1 Precautions for safe handling

Avoid breathing vapours. Provide adequate ventilation. Avoid contact with eyes. Never to be handled close to fire, sparks and hot surfaces – No smoking. Do not empty into drains.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage must be in compliance with all regulatory requirements pertaining to flammable liquids. Danish storage requirements: Store securely and out of reach of unauthorized personnel, and separated from food, feed etc.

#### 7.3 Specific end use(s)

See section 1.2.

---

## Section 8

### Exposure controls/personal protection

#### 8.1 Control parameters

Denmark (AT): None

PNEC:	Medium	Value
	Freshwater	0,002 mg/l
	Seawater	0,0002 mg/l
	Intermittent release	0,003 mg/l
	Sediment freshwater	1,7 mg/kg
	Sediment seawater	0,17 mg/kg
	Soil	0,083 mg/kg
	STP	10 mg/l

DNEL:	Exposure	Value	Population	Effects
	Long term, inhalation	890 mg/m <sup>3</sup>	Worker	Systemic

## Brava® Adhesive Remover Wipe

Long term, dermal	126 mg/kg/bw/d	Worker	Systemic
Long term, inhalation	266 mg/m <sup>3</sup>	Gen.Popul.	Systemic
Long term, dermal	25 mg/kg/bw/d	Gen.Popul.	Systemic

### 8.2 Exposure controls

Appropriate engineering measures: Provide adequate ventilation.

Personal protective measures:

Inhalation:	In case of inadequate ventilation: Use an approved mask (EN 140) with gas filter type A (brown - for organic vapors). The filter has a limited lifetime and must be changed. Read the instruction.
Skin:	Gloves are not normally required.
Eyes:	Tightly fitting safety goggles when there is risk of eye contact (EN 166).
Environmental exposure controls:	See section 6 and 13.

## Section 9

### Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Colorless liquid absorbed in wipe
Odour:	Characteristic
pH:	Not determined
Melting point / freezing point (°C):	-68 (Hexamethyldisiloxane)
Initial boiling point and boiling range (°C):	100 (Hexamethyldisiloxane)
Decomposition temperature (°C):	Not determined
Flash point (°C):	-6 (Hexamethyldisiloxane)
Evaporation rate:	Not determined
Flammability (solid, gas):	Not relevant
Upper/lower flammability or explosive limits (vol-%):	0.7-26 (Hexamethyldisiloxane)
Vapour pressure (kPa, 20°C):	44 (Hexamethyldisiloxane)
Vapour density (air=1):	Not determined
Relative density (g/ml, 25°C):	0.76 (Hexamethyldisiloxane)
Solubility:	Not miscible with water
Partition coefficient: n-octanol/water, Log K <sub>ow</sub> :	> 4
Autoignition temperature (°C):	340 (Hexamethyldisiloxane)
Viscosity (mm <sup>2</sup> /s, 25°C):	0.65 (Hexamethyldisiloxane)
Explosive properties:	Not determined
Oxidising properties:	Not relevant

#### 9.2 Other information:

None relevant.

## Section 10

### Stability and reactivity

#### 10.1 Reactivity

No available data.

#### 10.2 Chemical stability

The product is stable under the advised storage conditions – see section 7.

#### 10.3 Possibility of hazardous reactions

Take precautionary measures against static discharges. Keep away from sources of

## Brava® Adhesive Remover Wipe

ignition - No smoking.

### 10.4 Conditions to avoid

Avoid creating sparks and hot surfaces including heating.

### 10.5 Incompatible materials

Exothermic reaction with oxidizing agents. Strong acid and strong alkali.

### 10.6 Hazardous decomposition products

When heated to high temperatures (decomposition), toxic gasses are formed such as oxides of carbon and nitrogen.

## Section 11

### Toxicological information

This product is a medical device and has been assessed in accordance with Directive 93/42/EEC on medical devices.

#### 11.1 Information on toxicological effects

Toxicological data:

Hazard class	Data (Hexamethyldisiloxane)	Test	Reference
Acute toxicity: Inhalation Dermal Oral	LC <sub>50</sub> (rat) = 106 mg/l/4H LD <sub>Lo</sub> (rabbit) > 2000 mg/kg LD <sub>50</sub> (rat) > 12160 mg/kg	OECD 403 OECD 402 No info.	ECHA diss. ECHA diss. ECHA diss.
Corrosion/irritation:	No skin irritation, rabbit No eye irritation, rabbit	No info. No info.	ECHA diss. ECHA diss.
Sensitization:	No skin sensitization, human	No info.	ECHA diss.
CMR:	No CMR effects.	Miscellaneous	ECHA diss.

Information on likely routes of exposure: Inhalation, skin and ingestion

Symptoms:

Inhalation: May cause irritation of the respiratory tract.  
Skin: May cause irritation.  
Eyes: May cause irritation with redness.  
Ingestion: May cause irritation of the gastrointestinal tract with discomfort.  
Chronic effects: None known.

## Section 12

### Ecological information

#### 12.1 Toxicity

Aquatic	Data (Hexamethyldisiloxane)	Test (Medium)	Reference
Fish	LC <sub>50</sub> (Oncorhynchus mykiss, 96h) = 0.46-3.02 mg/l	No info.	ECHA diss.
Crustaceans	EC <sub>50</sub> (Daphnia magna, 48h) = 0.2 mg/l	No info.	ECHA diss.
Algae	EC <sub>50</sub> (Pseudokirchnerella subcapitata, 70h) = 0.18 mg/l	No info.	ECHA diss.

## Brava® Adhesive Remover Wipe

### 12.2 Persistence and degradability

Hexamethyldisiloxane: Poorly biodegradable. The substance may cause longterm effects in the aquatic environment, if not evaporated into air.

### 12.3 Bioaccumulative potential

Hexamethyldisiloxane:  $3 \leq \text{Log Kow} < 5$  - moderate bioaccumulative effect may be expected for the substance, if not evaporated into air.

### 12.4 Mobility in soil

Hexamethyldisiloxane:

$K_{oc} > 350$  - Medium to very low mobility in soil, if not evaporated into air.

### 12.5 Results of PBT and vPvB assessment

No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

### 12.6 Other adverse effects

None known.

---

## Section 13

### Disposal considerations

#### 13.1 Waste treatment methods

The recommended disposal technology at any approved facility. The disposal should always be in compliance with national, federal, state and local regulations. The product should not be discharged to the environment.

#### European union

European Union: According to The European Waste Catalogue (EWC), in accordance with EC Directive 75/442/EEC, the following Waste Code can be used:

18 01 06 Chemicals containing hazardous substances.

15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

However, if the waste in view of the prevention of infection needs special requirements, other Waste Codes should be used. It is the responsibility of the holder of the waste to determine the actual classification. Waste from private household may be disposed of together with other household waste.

Danish waste group (NORD): H

---

## Section 14

### Transport information ADR / IMDG / IATA

**2.5 ML WIPE NOT RESTRICTED, AS PER SPECIAL PROVISION 216 (ADR/IMDG)**

**2.5 ML WIPE NOT RESTRICTED, AS PER SPECIAL PROVISION A46 (IATA)**

14.1 UN-no.:	3175
14.2 UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEXAMETHYLDISILOXANE)
14.3 Transport hazard class(es):	4.1
14.4 Packing group:	II
14.5 Environmental hazards:	Yes.

## Brava® Adhesive Remover Wipe

**14.6 Special precautions for user:** None.  
**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** None  
EmS: F-E, S-E.

### Transportation on road in other countries than ADR-countries:

US: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEXAMETHYLDISILOXANE) 4.1, PGII, MP  
Canada: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S./ SOLIDES CONTENANT DU LIQUIDE INFLAMMABLE, N.S.A. (HEXAMETHYLDISILOXANE) 4.1, PGII, MP  
Brazil: UN3175 SÓLIDOS CONTENDO LÍQUIDO INFLAMÁVEL, N.E. (HEXAMETHYLDISILOXANE) 4.1, PGII, MP  
Australia: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEXAMETHYLDISILOXANE) 4.1, PGII, MP  
New Zealand: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEXAMETHYLDISILOXANE) 4.1, PGII, MP  
Hongkong / China: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEXAMETHYLDISILOXANE) 4.1, PGII, MP./ 含易燃液体的固体, 未另列明的 (HEXAMETHYLDISILOXANE)

---

## Section 15

### Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Medical devices (93/42) is exempt from classification and labelling according to CLP (1272/2008).

#### Other labelling:

The product must be labelled according to the provisions laid down in the Council directive 93/42/EEC on Medical devices. Class I.

#### 15.2 Chemical Safety Assessment:

CSR has been prepared for Hexamethyldisiloxane.

---

## Section 16

### Other information

#### H-statements mentioned in section 2 and 3:

H225: Highly flammable liquid and vapour.  
H226: Flammable liquid and vapour.  
H400: Very toxic to aquatic life.

#### Abbreviations:

At. = Arbejdstilsynet  
CMR = Carcinogenicity, mutagenicity and reproductive toxicity  
CSR = Chemical Safety Report  
DNEL = Derived No-Effect Level  
EC<sub>50</sub> = Effect Concentration 50 %  
GPMT = Guinea Pig Maximization Test  
LC<sub>50</sub> = Lethal Concentration 50 %  
MAK = Maximale ArbeitsplatzKonzentrationen  
PBT = Persistent, Bioaccumulative, Toxic  
PNEC = Predicted No-Effect Concentration  
vPvB = very Persistent, very Bioaccumulative

#### Literature references:

## Brava® Adhesive Remover Wipe

ECHA diss. = REACH Registration dossiers from ECHA's homepage.  
IUCLID = International Uniform Chemical Database Information

**Legislation reference:**

This SDS is prepared to comply with EC regulation no. 1907/2006 (REACH).  
This product is assessed in accordance with Directive 93/42/EEC on Medical devices including Directive 1999/45/EC and Regulation (EC) no. 1272/2008 on classification, labelling and packaging.

**Other information:**

Prepared from the information, which was available to Altox a/s on December 18th 2013.

**Changes since the previous edition:**

Not relevant.

THE ABOVE INFORMATION HAS BEEN COMPILED FROM SOURCES BELIEVED TO BE RELIABLE AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, COLOPLAST CORP. CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES AND EXPRESSLY DOES NOT MAKE ANY WARRANTIES, NOR ASSUMES ANY LIABILITY, FOR ITS USE.

Signature Page for VV-0097297 v1.0

Approved by	DKPLYM Peter Lynge Madsen Senior Biosafety Specialist Technical / Specialist 04-Aug-2015 07:35:18 GMT+0000
-------------	---

Signature Page for VV-0097297 v1.0

Document Owner: DKPLYM Peter Lynge Madsen